

15n AF



Attorney Docket No. 10139/01602 (00667-05PUS2)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Wagner et al.
 Serial No. : 10/805,623
 Filed : March 19, 2004
 For : Bone Plate
 Group Art Unit : 3733
 Confirmation No. : 2145
 Examiner : Jerry Cumberledge

Mail Stop: AF
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Certificate of Mailing
 I hereby certify that this correspondence is being transmitted
 via First Class Mail addressed to:

Mail Stop: AF
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450
 (571) 273-8300

By: 
 Oleg F. Kaplun (Reg. No. 45,559)


Date: March 19, 2008

TRANSMITTAL

Transmitted herewith please find a Response under Rule 116 to the Final Office Action mailed on February 4, 2008 along with a Request for Corrected Filing Receipt for filing in the above-identified application. Since the Response is being filed within two months of the Final Office Action mailing date, Applicants respectfully request that the USPTO's response be issued before the expiration of the three month period of the Final Office Action mailing date (i.e., by April 24, 2008). No fees are believed to be required. However, the Commissioner is hereby authorized to charge any additional required fees to the Deposit Account of **Fay Kaplun & Marcin, LLP No. 50-1492**. A copy of this paper is enclosed for that purpose.

Respectfully submitted,

Dated: March 19, 2008

By: 
 Oleg F. Kaplun (Reg. No. 45,559)
 Fay Kaplun & Marcin, LLP
 150 Broadway, Suite 702
 New York, NY 10038
 Tel: (212)619-6000
 Fax: (212) 619-0276



OK TO ENTER: /JC/

Attorney Docket No. 10139/01602

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	:	Wagner et al.
Serial No.	:	10/805,623
Filed	:	March 19, 2004
For	:	Bone Plate
Group Art Unit	:	3733
Confirmation No.	:	2145
Examiner	:	Jerry Cumberledge

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE UNDER RULE 116

In response to the Final Office Action mailed January 24, 2008 in the above-identified application, please consider the following remarks: